

# 0 1dB Adjustable Attenuator

Manually Variable Attenuators Qualwave supplies low VSWR and high attenuation flatness from DC to 40GHz. The attenuation range is 0~129dB, attenuation steps are 0.1dB, 1dB, 10dB.

1 dB Attenuators are available at Mouser Electronics. Mouser offers inventory, pricing, & datasheets for 1 dB Attenuators.

ADIsimRF is an easy-to-use RF signal chain calculator. It calculates Cascaded Gain, Noise Figure, IP3, P1dB and Power Consumption. The number of stages can be varied up to a maximum of 20. Stages ...

The only difference is that one can select an attenuation value in a step attenuator by using digital control or manually by push-buttons or by a rotary switch. Variable attenuators are used in ...

We offer a robust portfolio of in-stock, adjustable RF attenuators and phase shifters for multiple applications, including test instrumentation, cellular communication, wireless communications, ...

Nooelec SMA Attenuator Kit - Bundle of 6pc 2W 50 Ohm SMA in-Line Attenuators Provides Highly Linear Attenuation from 1dB to 42dB in 1dB Increments. 1dB, 2dB, 3dB, 6dB, 10dB

Attenuators are designed to reduce the power of a signal with minimal effect on its waveform. The attenuation value ranges from 0 dB to 69 dB with a frequency range from 0 to 86 GHz.

Model 50R-028 is a 50 Ohm manual step attenuator with attenuation range 0 to 1dB by 0.1dB steps. It operates DC-1000 MHz and is rated for 2 Watts average RF power.

Over 400 attenuator models for 50-Ohm & 75-Ohm system including fixed, high-power, digital step / programmable, voltage variable and more! Stocked for shipping.

Web: <https://prospettivacasa.eu>

