



# Cable tray anti-sway bracket installation

Spool of pre-stretched color coated restraint cable for seismic bracing. Ideal for restraining 1" (25 mm) through 2" (50 mm) branch lines using threaded rods. Single size and multi-size tool to swage ...

Cable tray length is selected based on the load to be supported, the distance between the supports (also referred to as the span), and handling and installation constraints.

Using the following table, select how the equipment is to be installed, select the attachment type that best matches the installation you have selected, then turn to the page under the attachment type.

The Easy ex EFSCK Series Seismic Cable Restraint Kits are engineered to secure suspended non-structural components--such as ductwork, piping, conduit, cable trays, and HVAC ...

Use 2 EZ BN 3/8 to attach cables to FAS PCH for sway bracing. Pre-drilled tabs allow attachment directly to concrete deck. Spacing must be at least every 30". For installation recommendations contact ...

Seismic Cable Restraints shall consist of galvanized steel aircraft cables sized to resist seismic loads with a minimum safety factor of two and arranged to provide all directional restraint. Cables must be ...

We offer a pre-engineered, time-saving solution which braces and secures non-structural equipment within a building to minimize damage from earthquakes or seismic events.

Seismic Cable Bracing Systems for Lighting or HVAC designed & engineered to limit sway during a seismic event. Strong, easy to install, and cost-effective.

The stackable design allows installation of both lateral and longitudinal braces, as well as opposing braces, to be easily installed on a single hanger rod, with no disassembly.

UNISTRUT Seismic Bracing Solutions Unistrut is a global leader in seismic bracing solutions and is a go-to resource for Engineers, Contractors, Specifiers, and others. We have decades of experience ...

Web: <https://prospettivacasa.eu>

