

The series of product adopts LC or MTP/MPO connector and operates over Single Mode or Multimode optical fiber. They can be used for connections from 150m up to 40km and are suitable for 40G ...

They are compliant with the QSFP+ MSA and IEEE 802.3ba 40GBASE-SR4. The optical transmitter portion of the transceiver incorporates a 4-channel VCSEL (Vertical Cavity Surface Emitting Laser) ...

Functional Characteristics (Optical) The following tables list the performance specifications for the various functional blocks of the integrated optical transceiver module.

DESCRIPTIONS 40G Ethernet links over duplex multimode fiber. Four channels/lanes in the 850-940nm region @ 10Gbps to transport the Ethernet signal. Digital diagnostics functions are available via Module

ColorChip's unique SystemOnGlass™ (SOG™) technology enables the integration of 4 transmitters, 4 receivers and an optical MUX/ DeMUX into a small form factor package that delivers a 40Gbps data ...

40GBASE QSFP+ LR4, ER4 optical transceiver module The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 10km, 30km or 40km over single mode fiber (SMF) using a ...

Wave Thought Tech 40GBASE QSFP+ is a portfolio of optical ...

FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing and data center applications.

40G QSFP SR4 400m o Supports 4-channel 10.3125 Gbps bi-directional data links o Compliant with IEEE 802.3 o Compliant with SFF-8636

It ensures a maximum reach of 10km over ordinary single-mode fiber. This 40G LR4 transceiver is ideal for complex, high-density network conditions because it maximizes performance and reliability by ...

Mentech 40G QSFP+ LR4 integrates four transmitters and receivers into one module. The central wavelengths of the channels are 1271, 1291, 1311 and 1331 nm as members of the CWDM ...



# Slovenia optical transmitter 40G

Web: <https://prospettivacasa.eu>

